

GENERIC NAME	BRAND NAME	USE
Alprazolam	Xanax	Sedation, Anxiety, Panic
Amantadine	Symmetrel	Antipsychotic Side Effects, Parkinsonism
Amitriptyline	Elavil	Depression
Aripiprazole	Abilify	Antipsychotic
Benzotropine	Cogentin	Antipsychotic Side Effects, Parkinsonism
Bupropion	Wellbutrin	Depression, Smoking Cessation
Buspirone	Buspar	Anxiety
Carbamazepine	Carbatrol/Tegretol	Bipolar Disorder, Seizures
Chlordiazepoxide	Librium	Sedation, Anxiety
Chlorpromazine	Thorazine	Antipsychotic
Citalopram	Celexa	Depression
Clomipramine	Anafranil	Depression
Clonazepam	Klonopin	Sedation, Anxiety, Bipolar Disorder
Clorazepate	Tranxene	Sedation, Anxiety
Clozapine	Clozaril	Antipsychotic
Desipramine	Norpramin	Depression
Dextroamphetamine	Dexedrine	ADHD, Narcolepsy
Diazepam	Valium	Sedation, Anxiety
Diphenhydramine	Benadryl	Sedation, Allergies, Antipsychotic Side Effects
Disulfiram	Antabuse	Alcoholism
Doxepin	Sinequan	Depression
Escitalopram	Lexapro	Depression
Fluoxetine	Prozac/Sarafem	Depression, Panic Disorder, OCD
Fluphenazine	Prolixin	Antipsychotic
Flurazepam	Dalmane	Insomnia
Fluvoxamine	Luvox	Depression, OCD
Haloperidol	Haldol	Delirium, Antipsychotic
Hydroxyzine	Vistaril/Atarax	Sedation, Itching
Imipramine	Tofranil	Depression, Panic Disorder
Isocarboxazide	Marplan	Depression
Lithium	Eskalith/Lithobid	Bipolar Disorder
Lorazepam	Ativan	Bipolar Disorder, Anxiety
Loxapine	Loxitane	Antipsychotic
Mesoridazine	Serentil	Antipsychotic
Methadone	Dolophine	Narcotic Addiction
Methamphetamine	Desoxyn	ADHD
Mirtazapine	Remeron	Depression
Molindone	Moban	Antipsychotic
Nefazodone	Serzone	Depression
Nortriptyline	Pamelor	Depression
Olanzapine	Zyprexa	Antipsychotic
Oxazepam	Serax	Sedation, Anxiety
Paroxetine	Paxil	Depression, OCD, Pain
Pemoline	Cylert	ADHD, Narcolepsy
Perphenazine	Trilafon	Antipsychotic
Phenelzine	Nardil	Depression
Phenobarbital		Sedation, Anxiety, Seizures
Pimozide	Orap	Antipsychotic, Tourette's
Quetiapine	Seroquel	Antipsychotic
Risperidone	Risperdal	Antipsychotic
Sertraline	Zoloft	Depression, OCD
Temazepam	Restoril	Sedation
Thioridazine	Mellaril	Antipsychotic
Thiothixene	Navane	Antipsychotic
Tranlycypromine	Parnate	Depression
Trazodone	Desyrel	Depression
Triazolam	Haiclon	Sedation
Trifluoperazine	Stelazine	Antipsychotic
Trihexyphenidyl	Artane	Antipsychotic Side Effects, Parkinsonism
Valproic Acid	Depakene/Depakote	Bipolar Disorder, Seizures
Venlafaxine	Effexor	Depression
Zaleplon	Sonata	Sedation
Ziprasidone	Geodon	Antipsychotic, Agitation
Zolpidem	Ambien	Sedation

ANTI-ANXIETY AGENTS		SEDATIVE HYPNOTICS	PANIC DISORDER
benzodiazepines - may cause sedation, amnesia, paradoxical rage attacks, muscle relaxation		*triazolam (Halcion) zaleplon (Sonata)	*alprazolam (Xanax) fluoxetine (Prozac)
*chloridiazepoxide (Librium)	*alprazolam (Xanax)	*zolpidem (Ambien)	imipramine (Tofranil)
*clorazepate (Tranxene)	*clonazepam (Klonopin)	MUSCLE RELAXERS	paroxetine (Paxil)
*diazepam (Valium)	*lorazepam (Ativan)	*carisoprodol (Soma)	sertraline (Zoloft)
*temazepam (Restoril)	*oxazepam (Serax)	*cyclobenzaprine (Flexeril)	
Other Anti-anxiety agents: diphenhydramine (Benadryl) hydroxyzine (Vistaril, Atarax) buspirone (Buspar)		*metaxalone (Skelaxin)	

ANTIPSYCHOTICS - schizophrenia, enhance treatment of dementia, depression, mania		ATTENTION DEFICIT DISORDER (ADD)-may cause insomnia, nervousness, restlessness, and euphoric mood
Traditional Antipsychotic Drugs may cause sedation, memory impairment, restlessness, tremors, muscle spasms, muscle rigidity, uncontrolled movement, blurred vision	New Antipsychotics Drugs - may cause weight gain, diabetes, dyslipidemia, restlessness, sedation, dizziness	*amphetamine/dextroamphetamine (Adderall) atomoxetine (Strattera) *dextroamphetamine (Dexedrine) *methamphetamine (Desoxyn) *methylphenidate (Concerta, Ritalin) *pemoline (Cylert)
chlorpromazine (Thorazine) fluphenazine (Prolixin) haloperidol (Haldol) loxapine (Loxitane) mesoridazine (Sereniti) molindone (Moban) perphenazine (Trilafon) prochlorperazine (Compazine) thioridazine (Mellaril) thiothixene (Navane) trifluoperazine (Stelazine)	aripiprazole (Abilify) clozapine (Clozaril) olanzapine (Zyprexa) quetiapine (Seroquel) risperidone (Risperdal) ziprasidone (Geodon)	ANTIPARKINSONS DRUGS (also treat some side effects of antipsychotic drugs)-may cause blurred vision, constipation, nausea, dry mouth. amantadine (Symmetrel) bentropine (Cogentin) biperiden (Akineton) procyclidine (Kemadrin) trihexyphenidyl (Artane)
ANTICONVULSANTS/MOOD STABILIZERS (also treat bipolar disorder)-may cause blurred vision, dry mouth, nausea, frequent urination, weight gain		OBSESSIVE COMPULSIVE DISORDER (OCD) clomipramine (Anafranil)
carbamazepine (Tegretol, Carbatrol) lithium (Eskalith/Lithobid) Valproic Acid (Depakene, Depakote)		fluoxetine (Prozac) fluvoxamine (Luvox) paroxetine (Paxil) sertraline (Zoloft)

ANTIDEPRESSANTS			
TRICYCLICS -may cause blurred vision, dry mouth, dizziness	SELECTIVE SEROTONIN REUPTAKE INHIBITORS (SSRIs) -may cause dizziness, dry mouth, nausea, sexual dysfunction	MONOAMINE OXIDASE INHIBITORS (MAOIs) -may cause sexual dysfunction, dizziness, insomnia, fatigue	OTHERS - may cause headache, nausea, insomnia, sedation
amitriptyline (Elavil) clomipramine (Anafranil) desipramine (Norpramin) doxepine (Sinequan) imipramine (Tofranil) nortriptyline (Pamelor)	citalopram (Celexa) escitalopram (Lexapro) fluoxetine (Prozac) fluvoxamine (Luvox) paroxetine (Paxil) sertraline (Zoloft)	phenelzine (Nardil) tranylcypromine (Parnate)	bupropion (Wellbutrin) mirtazapine (Remeron) nefazodone (Serzone) trazodone (Desyrel) venlafaxine (Effexor)

*** Signifies drugs that are commonly abused or addictive**

(Drugs in parentheses signify common trade names) lower case drugs are generic names

GENERIC NAME	BRAND NAME	USE
Abacavir	Ziagen	HIV
Acarbose	Precose	Type II Diabetes Mellitus
Amantidine	Symmetrel	Antipsychotic Side Effects, Parkinsonism
Amprenavir	Agenerase	HIV
Benzotropine	Cogentin	Antipsychotic Side Effects, Parkinsonism
Biperiden	Akineton	Antipsychotic Side Effects, Parkinsonism
Bromocriptine	Parlodel	Parkinsonism
Capreomycin	Capastat	Tuberculosis
Carbamazepine	Carbatrol/Tegretol	Seizure, Bipolar Disorder
Carbidopa/Levodopa	Sinemet	Parkinsonism
Clorazepam	Klonopin	Seizure, Anxiety, Panic Disorder
Clorazepate	Tranxene	Anxiety, Seizures
Cycloserine	Seromycin	Tuberculosis
Delavirdine	Rescriptor	HIV
Diazepam	Valium	Anxiety, Muscle Relaxant, Panic Disorder
Didanosine	Videx	HIV
Donepezil	Aricept	Alzheimer's, ADD, Dementia
Efavirenz	Sustiva	HIV
Ethambutol	Myambutol	Tuberculosis
Ethionamide	Trecator	Tuberculosis
Ethosuximide	Zarontin	Seizures
Gabapentin	Neurontin	Seizures, Chronic Pain, Muscle Spasm, Bipolar Disorder
Galantamine	Reminyl	Alzheimer's
Glimepiride	Amaryl	Diabetes
Glipizide	Glucotrol	Diabetes
Glyburide	Micronase, Diabeta	Diabetes
Hyoscyamine	Levbid/Hyosine	Parkinsonism
Indinavir	Crixivan	HIV
Insulin	Humulin, Humalog, Lantus, Novolin, Lente, Novolog	Diabetes
Interferon alfa 2a	Roferon A	Hepatitis
Interferon alfa 2b	Intron A	Hepatitis
Interferon alfacon-1	Infergen	Hepatitis
Interferon alfa-n3	Alferon N	Hepatitis
Interferon beta-1a	Avonex/Rebif	Hepatitis
Interferon beta-1b	Betaseron	Hepatitis
Interferon gamma-1b	Actimmune	Hepatitis
Isoniazid	Nydrizid	Tuberculosis
Lamivudine	Epivir	HIV, Hepatitis
Lamotrigine	Lamictal	Seizures, Bipolar Disorder
Lopinavir/Ritonavir	Kaletra	HIV
Memantine	Namenda	Alzheimer's
Metformin	Glucophage	Diabetes
Miglitol	Glyset	Diabetes
Nateglinide	Starlix	Diabetes
Nelfinavir	Viracept	HIV
Nevirapine	Viramune	HIV
Peginterferon alfa 2a	Pegasys	Hepatitis
Peginterferon alfa 2b	PEG-Intron	Hepatitis
Pergolide	Permax	Parkinsonism
Phenobarbital		Seizures, Sedation
Phenytoin	Dilantin	Seizures
Pioglitazone	Actos	Diabetes
Pramipexole	Mirapex	Parkinsonism, Depression
Primidone	Mysoline	Seizures
Pyrazinamide	Tebrazid	Tuberculosis
Repaglinide	Prandin	Diabetes
Ribavirin	Copegus/Rebetol/Vorazole	Hepatitis
Rifabutin	Mycobutin	Tuberculosis / HIV
Rifampin	Rifadin	Tuberculosis
Ritonavir	Norvir	HIV
Rivastigmine	Exelon	Alzheimer's
Ropinirole	Requip	Parkinsonism
Rosiglitazone	Avandia	Diabetes
Saquinavir	Fortovase/Invirase	HIV
Selegiline	Eldepryl	Parkinsonism, ADD, Antipsychotic Side Effects, Alzheimer's, Depression
Stavudine	Zerit	HIV
Streptomycin		Tuberculosis
Tacrine	Cognex	Alzheimer's
Tenofovir	Viread	HIV
Tiagabine	Gabatril	Seizures, Bipolar Disorder
Tolbutamide	Tolinase	Diabetes
Tolcapone	Tasmar	Parkinsonism
Topiramate	Topamax	Seizures, Bipolar Disorder
Trihexyphenidyl	Artane	Antipsychotic Side Effects, Parkinsonism
Valproic Acid	Depakene/Depakote	Seizures, Bipolar Disorder, Alzheimer's
Zalcitabine	Hivid	HIV
Zidovudine	Retrovir	HIV

SEIZURE DISORDERS	PARKINSON'S DISEASE	ALZHEIMER'S DISEASE / DEMENTIA
carbamazepine (Carbatrol/Tegretol)	amantidine (Symmetrel)	donepezil (Aricept)
*clonazepam (Klonopin)	benztropine (Cogentin)	galantamine (Reminyl)
*clorazepate (Tranxene)	biperiden (Akineton)	rivastigmine (Exelon)
*diazepam (Valium)	bromocriptine (Parlodel)	tacrine (Cognex)
ethosuximide (Zarontin)	carbidopa/Levodopa (Sinemet)	memantine (Namenda)
gabapentin (Neurontin)	hyoscyamine (Levbid/Hyosine)	
lamotrigine (Lamictal)	pergolide (Permax)	
*phenobarbital	pramipexole (Mirapex)	
phenytoin (Dilantin)	ropinirole (Requip)	
primidone (Mysoline)	selegiline (Eldepryl)	
tiagabine (Gabatril)	tolcapone (Tasmar)	
topiramate (Topamax)	trihexyphenidyl (Artane)	
valproic acid (Depakene/Depakote)		

DIABETES	
acarbose (Precose)	<p>ATTENTION: Hypoglycemia (low blood-sugar levels) may present with the following symptoms: disorientation, confusion, fatigue, agitation</p>
glimepiride (Amaryl)	
glipizide (Glucotrol)	
glyburide (Micronase, Diabeta)	
insulin (Humulin, Humulog, Lantus, Novolin, Lente, Novolog)	
metformin (Glucophage)	
migliitol (Glyset)	
nateglinide (Starlix)	
pioglitazone (Actos)	
repaglinide (Prandin)	
rosiglitazone (Avandia)	
tolbutamide (Tolinase)	

USE NECESSARY PRECAUTIONS WITH PATIENT IN THESE DISEASE STATES!!		
SOME MEDS COULD BE REFRIGERATED!		
AIDS/HIV MEDICATIONS	TUBERCULOSIS	HEPATITIS
abacavir (Ziagen)	ansamycin (Rifabutin)	abacavir (Ziagen)
amprenavir (Agenerase)	capreomycin (Capastat)	interferon alfa 2a (Roferon A)
delavirdine (Rescriptor)	cycloserine (Seromycin)	interferon alfa 2b (Intron A)
didanosine (Videx)	ethambutol (Myambutol)	interferon alfacon-1 (Infergen)
efavirenz (Sustiva)	ethionamide (Trecator)	interferon alfa-n3 (Alferon N)
indinavir (Crixivan)	isoniazid (Nydrazid)	interferon beta-1a (Avonex/Rebif)
lamivudine (EpiVir)	pyrazinamide (Tebrazid)	interferon beta-1b (Betaseron)
lopinavir/Ritonavir (Kaletra)	rifabutin (Mycobutin)	interferon gamma-1b (Actimmune)
nelfinavir (Viracept)	rifampin (Rifadin)	lamivudine (EpiVir)
nevirapine (Viramune)	streptomycin	peginterferon alfa 2a (Pegasys)
ritonavir (Norvir)		peginterferon alfa 2b (PEG-Intron)
saquinavir (Fortovase/Invirase)		ribavirin (Copegus/Rebetol/Vorazole)
stavudine (Zerit)		zidovudine (Retrovir)
tenofovir (Viread)		
zalcitabine (Hivid)		
zidovudine (Retrovir)		

*** Signifies drugs that are commonly abused or addictive**

(Drugs in parentheses signify common trade names)

lower case drugs are generic names

Reviewed by Dr. Jason Carter, Pharm. D., Catherine Brown, and Megan Weatherford