North Carolina Dept of Public Safety Division of Adult Corrections Presentation to the

University of North Carolina School of Government on

The

Substance Abuse Screening Program

SASIP

- Comprehensive statewide program offering both instrument based drug screening and non-instrument screening (handheld, instant result)
- > Third party confirmation with state-of-the-art GC/MS testing
- > Provides drug screening services to outside agencies
- Monitoring of drug trends
- > Intervention program development and monitoring
- > Training

What *IS* Substance Abuse Screening?

Substance Abuse Screening is a supervision tool used to identify offenders with substance abuse problems so appropriate treatment

services may be provided.

DCC (Division of Community Corrections) uses Substance screening to :

•Develop substance abuse treatment plans •Provide validation to encourage offenders to enter treatment

When Do We Screen?

- The PPO has reason to believe that the offender currently is under the influence of or recently has used illegal drugs
- The offender is observed to be in possession of drugs, or is controlling, occupying or inhabiting an area where illegal drugs are found or observed
- The PPO receives information from a reliable source that the offender is currently under the influence of or has recently used illegal drugs.
- Increased drug screening and staffing for appropriate treatment levels is expected for an offender who continues to test positive.

When completed correctly, Substance Abuse Screening:

•Acts as a deterrent to ongoing drug use & abuse

•Provides immediate challenge to positive use with onsite devices and notification to treatment provider, or treatment provider referral.

Question: How should the PPO screen the probationers, meaning what time frame?

RANDOM TESTING

•Not being predictable to the point where the offender will abstain or otherwise be prepared for *scheduled* drug screening.

Testing method

Our method of testing for drugs is through urine by means of on-site tests & laboratories

Urine Testing Benefits

•Drugs may be detected for a longer period of time within urine with a higher concentration of drug metabolites within the body's waste supply.

•On-site urine tests & Lab instruments can screen for numerous drugs of abuse.

•Multiple panel on-site urine tests will determine potential drug(s) of choice and allow for future concentration of drug testing & treatment focus.

On-site Testing

We use two of types of on-site testing within our department :

•Drug Panel (single to multi-) urine on-site testing

•Oral Alcohol Onsites

.....and will touch on other types of onsite testing available and discuss their advantages and disadvantages.







Average Detection Times for Drugs

THC	2-3 Days to 10-12 days
Cocaine	6-72 Hours
Opiates	1-2 Days
Amphetamines	1-2 Days
Methadone	2-3 Days
Benzodiazepines	2-3 Days to weeks

Source: Amy K Adkins, Siemens Medical Solutions Diagnostics





DCC policy for Specimen Collection

•Orientation given of what's expected and what will occur after sample is received.

•Same Sex observation needed.

•No extra clothing, purses, or other items are allowed into the restroom.

•The offender remains in the presence of the officer without access to a water fountain, faucet, soap dispenser, cleaning agent, or other material which could be used to adulterate (methods discussed later in the presentation) the specimen.

•The offender has to roll up his or her sleeves and wash hands prior to administering the specimen for testing

•The PO Completes the DCC Chain of Custody Form

•The offender initials and places tamper proof evidence tape on their specimen

•Offender adds identification label after confirmation of all information on label is correct. Check for leaks.

•Offender places the specimen in transport bag and officer must observe specimen is sealed within.

•Sample is placed in a secure environment inaccessible to unauthorized persons and sent to one of our 2 Drug Testing Laboratories

Questions about on-sites or drug testing policy?



Olympus AU400^e chemistry analyzer.





What drugs does the lab screen for

> Lab Screens

- Cannabinoids/THC/Marijuana
- Cocaine
- Opiates
- Meth/amphetamines
- Benzo
- Methadone
- Propoxyphene



What if the offender disputes the positive drug test?

A confirmation test is ordered.

An officer can request a confirmation test by GC/MS (gas chromatograph/mass spectrometry) from a third party, or outside, lab for a definite answer.

Our analyzers are very precise but when results are disputed, outside labs with no interest in the outcome, perform the testing.

Specimen Validity Testing

Adulteration

The act of introducing a substance(s) into the urine specimen to intentionally nullify the result of and disrupt the screening chemistry.

<u>Examples of adulteration</u> Bleach, Perfume, Nitrites, Sure-jell, UrineLuck

Lysol (yellow), substituted urine.

Methods of Adulteration

Substitution External Adulteration

Internal Adulteration



This is an example of a diluted bleach solution that came into the lab. When compared to another sample from the same offender given four days later....



.....you can see the obvious difference. This demonstrates the efforts offenders will take in order to "pass" a urine screening. An on-site test would have passed the adulterated sample.



user to pour in 60-90mls

Internal Adulteration

Offenders may try to throw screenings by use of: •<u>Water loading-</u>drinking large amounts of water before a test, more than 16 oz to dilute urine.





•<u>Shake products-</u> products added to WATER and ingested prior to screens.



MAGNUM : Another example of a product for internal urine adulteration which instructs the user to DRINK a liquid to dilute before giving a drug screen. Basically, a glorified and pricey Gatorade drink.





§ 14-401.20. Defrauding drug and alcohol screening tests; penalty.

- (a) It is unlawful for a person to do any of the following:
 - Sell, give away, distribute, or market urine in this State or transport urine into this State with the intent that it be used to defraud a drug alcohol screening test.
 Attempt to foil or defeat a drug or alcohol screening test by the substitution or spiking of a sample or the advertisement of a exploit the or or those or biking (1)
 - (2) substitution or other spiking

sample device or

or

measure.

- (b) It is unlawful for a person to do any of the following:
 - Adulterate a urine or other bodily fluid sample with the intent to defraud a drug or alcohol screening test.
 - (2) Possess adulterants that are intended to be used to adulterate a urine or other bodily fluid sample for the purpose of defrauding a drug or alcohol screening test.
 - (3) Sell adulterants with the intent that they be used to adulterate a urine or other bodily fluid sample for the purpose of defrauding a drug or alcohol screening test.

c) A violation of this section is punishable as follows:

(1) For a first offense under this section, the person is guilty of a Class 1 misdemeanor.

(2) For a second or subsequent offense under this section, the person is guilty of a Class I felony. (2002-183, s. 1.)

PARTNERSHIPS

- > DOC-Department of Correction
- > DCC-Division of Community Corrections
- > DACDP Division of Alcoholism & Chemical Dependency Program
- > DART-Drug Alcohol Rehabilitation Treatment

PARTNERSHIPS

•DHHS - Department of Health & Human Services

•TASC-Treatment Alternatives Safer Communities

•AOC - Administrative Office of the Courts

•DTC- Drug Treatment Court

Thank you for your time today.

For more information , please call or write:

Steven Worthy (919) 716-3189 steven.worthy@ncdps.gov

QUESTIONS?